

## Reliability

\*\*\*\*\* Method 1 (space saver) will be used for this analysis \*\*\*\*\*

R E L I A B I L I T Y   A N A L Y S I S   -   S C A L E   ( A L P H A )

1.        LOKASI
2.        GRED
3.        JENIS
4.        BIL
5.        MODUL
6.        CD
7.        CARTA
8.        RULES
9.        J.KELAS
10.       J.ICTL
11.       LOG\_LAB
12.       LOG\_COMP
13.       USELOG\_L
14.       USELOG\_C
15.       CD1\_INST
16.       CD2\_INST
17.       LOC\_LAB
18.       LOC\_COM
19.       PLN\_EXIT
20.       NETWORK
21.       FIRE\_EX
22.       ALARM
23.       ICTL\_COR
24.       ENVIRO
25.       BIL\_COMP
26.       BIL\_COMR
27.       F32
28.       F33
29.       F34
30.       F35
31.       F36
32.       F37
33.       F38
34.       F39
35.       F40
36.       F41
37.       KOMEN

Reliability Coefficients

N of Cases =        77.0

N of Items = 37

Alpha =        .8811

# Frequencies

## Statistics

|                |         | MODUL | CD   | CARTA | RULES | J.KELAS | J.ICTL |
|----------------|---------|-------|------|-------|-------|---------|--------|
| N              | Valid   | 78    | 78   | 78    | 78    | 78      | 78     |
|                | Missing | 0     | 0    | 0     | 0     | 0       | 0      |
| Mean           |         | .94   | .96  | .94   | .97   | .76     | .78    |
| Median         |         | 1.00  | 1.00 | 1.00  | 1.00  | 1.00    | 1.00   |
| Mode           |         | 1     | 1    | 1     | 1     | 1       | 1      |
| Std. Deviation |         | .247  | .194 | .247  | .159  | .432    | .416   |
| Variance       |         | .061  | .037 | .061  | .025  | .187    | .173   |
| Minimum        |         | 0     | 0    | 0     | 0     | 0       | 0      |

## Statistics

|                |         | LOG_LAB | LOG_COMP | USELOG_L | USELOG_C | CD1_INST |
|----------------|---------|---------|----------|----------|----------|----------|
| N              | Valid   | 78      | 77       | 78       | 78       | 78       |
|                | Missing | 0       | 1        | 0        | 0        | 0        |
| Mean           |         | .95     | .74      | .95      | .72      | .64      |
| Median         |         | 1.00    | 1.00     | 1.00     | 1.00     | 1.00     |
| Mode           |         | 1       | 1        | 1        | 1        | 1        |
| Std. Deviation |         | .222    | .441     | .222     | .453     | .483     |
| Variance       |         | .049    | .195     | .049     | .205     | .233     |
| Minimum        |         | 0       | 0        | 0        | 0        | 0        |

## Statistics

|                |         | CD2_INST | LOC_LAB | LOC_COM | PLN_EXIT | NETWORK | FIRE_EX |
|----------------|---------|----------|---------|---------|----------|---------|---------|
| N              | Valid   | 78       | 78      | 78      | 78       | 78      | 78      |
|                | Missing | 0        | 0       | 0       | 0        | 0       | 0       |
| Mean           |         | .55      | .64     | .62     | .63      | .85     | .91     |
| Median         |         | 1.00     | 1.00    | 1.00    | 1.00     | 1.00    | 1.00    |
| Mode           |         | 1        | 1       | 1       | 1        | 1       | 1       |
| Std. Deviation |         | .501     | .483    | .490    | .486     | .363    | .288    |
| Variance       |         | .251     | .233    | .240    | .237     | .132    | .083    |
| Minimum        |         | 0        | 0       | 0       | 0        | 0       | 0       |

## Statistics

|                |         | ALARM | ICTL_COR | ENVIRO | BIL_COMP | BIL_COMR | F32  |
|----------------|---------|-------|----------|--------|----------|----------|------|
| N              | Valid   | 78    | 78       | 78     | 78       | 78       | 78   |
|                | Missing | 0     | 0        | 0      | 0        | 0        | 0    |
| Mean           |         | .33   | .49      | .91    | 1.36     | 1.15     | 1.76 |
| Median         |         | .00   | .00      | 1.00   | 1.00     | 1.00     | 2.00 |
| Mode           |         | 0     | 0        | 1      | 1        | 1        | 2    |
| Std. Deviation |         | .474  | .503     | .288   | .509     | .397     | .461 |
| Variance       |         | .225  | .253     | .083   | .259     | .158     | .213 |
| Minimum        |         | 0     | 0        | 0      | 0        | 0        | 0    |

**Statistics**

|                |         | F33  | F34  | F35  | F36  | F37  | F38  |
|----------------|---------|------|------|------|------|------|------|
| N              | Valid   | 78   | 78   | 78   | 78   | 78   | 78   |
|                | Missing | 0    | 0    | 0    | 0    | 0    | 0    |
| Mean           |         | 1.83 | 1.86 | 1.87 | 1.86 | 1.88 | 1.90 |
| Median         |         | 2.00 | 2.00 | 2.00 | 2.00 | 2.00 | 2.00 |
| Mode           |         | 2    | 2    | 2    | 2    | 2    | 2    |
| Std. Deviation |         | .408 | .386 | .373 | .386 | .360 | .345 |
| Variance       |         | .167 | .149 | .139 | .149 | .129 | .119 |
| Minimum        |         | 0    | 0    | 0    | 0    | 0    | 0    |

**Statistics**

|                |         | F39  | F40  | F41  | KOMEN |
|----------------|---------|------|------|------|-------|
| N              | Valid   | 78   | 78   | 78   | 78    |
|                | Missing | 0    | 0    | 0    | 0     |
| Mean           |         | 1.90 | 1.83 | 1.86 | 1.79  |
| Median         |         | 2.00 | 2.00 | 2.00 | 2.00  |
| Mode           |         | 2    | 2    | 2    | 2     |
| Std. Deviation |         | .345 | .408 | .386 | .437  |
| Variance       |         | .119 | .167 | .149 | .191  |
| Minimum        |         | 0    | 0    | 0    | 0     |

**Frequency Table**

**MODUL**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 5         | 6.4     | 6.4           | 6.4                |
|       | ADA   | 73        | 93.6    | 93.6          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**CD**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 3         | 3.8     | 3.8           | 3.8                |
|       | ADA   | 75        | 96.2    | 96.2          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**CARTA**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 5         | 6.4     | 6.4           | 6.4                |
|       | ADA   | 73        | 93.6    | 93.6          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**RULES**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 2         | 2.6     | 2.6           | 2.6                |
|       | ADA   | 76        | 97.4    | 97.4          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**J.KELAS**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 19        | 24.4    | 24.4          | 24.4               |
|       | ADA   | 59        | 75.6    | 75.6          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**J.ICTL**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 17        | 21.8    | 21.8          | 21.8               |
|       | ADA   | 61        | 78.2    | 78.2          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**LOG\_LAB**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 4         | 5.1     | 5.1           | 5.1                |
|       | ADA   | 74        | 94.9    | 94.9          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**LOG\_COMP**

|         |        | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------|-----------|---------|---------------|--------------------|
| Valid   | TIADA  | 20        | 25.6    | 26.0          | 26.0               |
|         | ADA    | 57        | 73.1    | 74.0          | 100.0              |
|         | Total  | 77        | 98.7    | 100.0         |                    |
| Missing | System | 1         | 1.3     |               |                    |
| Total   |        | 78        | 100.0   |               |                    |

**USELOG\_L**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 4         | 5.1     | 5.1           | 5.1                |
|       | ADA   | 74        | 94.9    | 94.9          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**USELOG\_C**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 22        | 28.2    | 28.2          | 28.2               |
|       | ADA   | 56        | 71.8    | 71.8          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**CD1\_INST**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 28        | 35.9    | 35.9          | 35.9               |
|       | ADA   | 50        | 64.1    | 64.1          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**CD2\_INST**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 35        | 44.9    | 44.9          | 44.9               |
|       | ADA   | 43        | 55.1    | 55.1          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**LOC\_LAB**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 28        | 35.9    | 35.9          | 35.9               |
|       | ADA   | 50        | 64.1    | 64.1          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**LOC\_COM**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 30        | 38.5    | 38.5          | 38.5               |
|       | ADA   | 48        | 61.5    | 61.5          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**PLN\_EXIT**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 29        | 37.2    | 37.2          | 37.2               |
|       | ADA   | 49        | 62.8    | 62.8          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**NETWORK**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 12        | 15.4    | 15.4          | 15.4               |
|       | ADA   | 66        | 84.6    | 84.6          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**FIRE\_EX**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 7         | 9.0     | 9.0           | 9.0                |
|       | ADA   | 71        | 91.0    | 91.0          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**ALARM**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 52        | 66.7    | 66.7          | 66.7               |
|       | ADA   | 26        | 33.3    | 33.3          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**ICTL\_COR**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 40        | 51.3    | 51.3          | 51.3               |
|       | ADA   | 38        | 48.7    | 48.7          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**ENVIRO**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TIADA | 7         | 9.0     | 9.0           | 9.0                |
|       | ADA   | 71        | 91.0    | 91.0          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**BIL\_COMP**

|       |       | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0     | 1         | 1.3     | 1.3           | 1.3                |
|       | 1-25  | 48        | 61.5    | 61.5          | 62.8               |
|       | 26-50 | 29        | 37.2    | 37.2          | 100.0              |
|       | Total | 78        | 100.0   | 100.0         |                    |

**BIL\_COMR**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| <10     | 64        | 82.1    | 82.1          | 83.3               |
| >10     | 13        | 16.7    | 16.7          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F32**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 17        | 21.8    | 21.8          | 23.1               |
| 50-100% | 60        | 76.9    | 76.9          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F33**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 11        | 14.1    | 14.1          | 15.4               |
| 50-100% | 66        | 84.6    | 84.6          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F34**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 9         | 11.5    | 11.5          | 12.8               |
| 50-100% | 68        | 87.2    | 87.2          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F35**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 8         | 10.3    | 10.3          | 11.5               |
| 50-100% | 69        | 88.5    | 88.5          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F36**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 9         | 11.5    | 11.5          | 12.8               |
| 50-100% | 68        | 87.2    | 87.2          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F37**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 7         | 9.0     | 9.0           | 10.3               |
| 50-100% | 70        | 89.7    | 89.7          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F38**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 6         | 7.7     | 7.7           | 9.0                |
| 50-100% | 71        | 91.0    | 91.0          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F39**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 6         | 7.7     | 7.7           | 9.0                |
| 50-100% | 71        | 91.0    | 91.0          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**F40**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 11        | 14.1    | 14.1          | 15.4               |
| 50-100% | 66        | 84.6    | 84.6          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |


**F41**

|         | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 1         | 1.3     | 1.3           | 1.3                |
| 1-49%   | 9         | 11.5    | 11.5          | 12.8               |
| 50-100% | 68        | 87.2    | 87.2          | 100.0              |
| Total   | 78        | 100.0   | 100.0         |                    |

**KOMEN**


|               | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid 0       | 1         | 1.3     | 1.3           | 1.3                |
| LEMAH(1-49%)  | 14        | 17.9    | 17.9          | 19.2               |
| BAIK(50-100%) | 63        | 80.8    | 80.8          | 100.0              |
| Total         | 78        | 100.0   | 100.0         |                    |

# MODUL




# MODUL

## CD




## CD

### CARTA




### CARTA

### RULES




### RULES

### J.KELAS




### J.KELAS

### J.ICTL




### J.ICTL

### LOG\_LAB




### LOG\_LAB

### LOG\_COMP




### LOG\_COMP

USELOG\_L




USELOG\_L

USELOG\_C




USELOG\_C

CD1\_INST




CD1\_INST

CD2\_INST




CD2\_INST

### LOC\_LAB




### LOC\_LAB

### LOC\_COM




### LOC\_COM

### PLN\_EXIT




### PLN\_EXIT

### NETWORK




### NETWORK

### FIRE\_EX




### FIRE\_EX

### ALARM




### ALARM

### ICTL\_COR




### ICTL\_COR

### ENVIRO




### ENVIRO

### BIL\_COMP




### BIL\_COMP

### BIL\_COMR




### BIL\_COMR

F32




F32

F33




F33

F34




F34

F35




F35

F36




F36

F37




F37

F38




F38

F39




F39

F40



F40

F41



F41

# KOMEN

